

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/04/2013
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155202		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R-C 11/01/2013	
NAME OF PROVIDER OR SUPPLIER WATERS OF GREENCASTLE THE				STREET ADDRESS, CITY, STATE, ZIP CODE 1601 HOSPITAL DR GREENCASTLE, IN 46135			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	<p>INITIAL COMMENTS</p> <p>This visit was for the Post Survey Revisit (PSR) to Complaint IN00136878 and Complaint IN00136880 completed on 10/02/2013.</p> <p>Complaints IN00136878 and IN00136880 corrected.</p> <p>Survey date: November 1, 2013</p> <p>Facility number: 000109 Provider number: 155202 AIM number: 100266290</p> <p>Survey team: Joyce Hofmann, RN</p> <p>Census bed type: SNF/NF: 79 Total: 79</p> <p>Census payor type: Medicare: 11 Medicaid: 47 Other: 21 Total: 79</p> <p>Sample: 3</p> <p>The Waters of Greencastle was found to be in compliance with 44 CFR Part 483, Subpart B and 410 IAC 16.2 in regard to the Investigation of Complaint IN00136878 and Complaint IN00136880.</p> <p>Quality review completed on 11/01/2013 by Brenda Marshall Nunan, RN.</p>			{F 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.